



Featuring Garden Bed by Club Hauer for FreeSpirit Fabrics

Collection:	Garden Bed by Club Hauer for FreeSpirit Fabrics		
Technique:	Pieced		
Skill Level:	Advanced Beginner		
Finished Sizes:	Finished Size:		
	88ª/4" x 88ª/4" (224.16cm x 224.16cm)		
	Finished Block Size:		
	16" x 16" (40.64cm x 40.64cm)		

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.


Project designed by Stacey Day | Tech edited by Alison M. Schmidt

Fabric Requirements

DESIGN	COLOR	ITEM ID
(A) Bees	Mint	PWRH098.MINT
(B) Cat Flower	Yellow	PWRH099.YELLOW
(C) Cat Nap	Mint	PWRH100.MINT
(D) Deer	Yellow	PWRH101.YELLOW
(E) Dogwood	Gray	PWRH102.GRAY
(F) Fireflies	Turq	PWRH103.TURQ
(G) Garden Glow	DkAqua	PWRH104.DKAQUA
(H) Ginkgo	Green	PWRH105.GREEN
(I) Grid	Mint	PWRH106.MINT
(J) Mole	Brown	PWRH107.BROWN**
(K) Ants	Gray	PWRH108.GRAY*
(L) Rabbits	Turq	PWRH109.TURQ**
(M) Snail Stripe	Turq	PWRH110.TURQ
(N) Butterfly	Purple	PWRH111.PURPLE
(O) Strawberries	Yellow	PWRH112.YELLOW
(P) Treetop	Green	PWRH113.GREEN**
(Q) Designer Essential Solid	Mist	CSFSESS.MISTX
(R) Designer Essential Solid	Navy	CSFSESS.NAVY

1/2 yard (0.46m) ¹/₃ yard (0.30m) ¹/₃ yard (0.30m) ⅓ yard (0.30m) ⅓ yard (0.30m) ⁵/₈ yard (0.57m) ¹/₃ yard (0.30m) 3⁄8 yard (0.34m) 1⁵/₈ yards (1.49m) ¹/₄ yard (0.23m) 1¼ yards (1.14m) ¹/₄ yard (0.23m) ¹/₄ yard (0.23m) ¹/₄ yard (0.23m) ¹/₂ yard (0.46m) ¹/₄ yard (0.23m) ¹/₄ yard (0.23m) 4¹/₂ yards (4.11m)

YARDAGE



Additional Recommendations

- 100% cotton thread in colors to match
- 96" x 96" (2.44m x 2.44m) batting
- **Optional:** spray starch or starch alternative

* includes binding

** To fussy cut the exact motifs shown in Fabrics J, L, and P, you may need up to 1/3 yard each.

Backing (Purchased Separately)

44" (1.12m) wide			
Rabbits	Turq	PWRH109.TURQ	7% yards (6.97m)
OR			
108" (2.74m) wide			2¾ yards (2.51m)
•			2¾ yards (2.51m)

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

Cutting

WOF = Width of Fabric

Notes:

- Cut from largest to smallest, using leftovers, for most efficient use of fabric, unless fussy cutting.
- If desired, starch fabrics to be fussy cut and let dry before cutting to stabilize fabric.
- Handle bias squares carefully avoid stretching bias edges.

From Fabric A, cut:

- (3) 2^{*}/₈" x WOF; subcut
 (36) 2^{*}/₈" x 2^{*}/₈", then cut once diagonally into
 (72) triangles
 (3) 2^{*}/₂" x WOF; subcut
 - (36) 2½" x 2½"

From Fabric B, C, D, E, and G, cut from each:

(2) $4\frac{1}{2}$ " x $4\frac{1}{2}$ ", fussy cut on point around the animal motifs where possible (8) $4\frac{7}{8}$ " x $4\frac{7}{8}$ ", then cut once diagonally into (16) triangles

From Fabric F, cut:

- (3) 2^{*}/₈" x WOF; subcut
 (36) 2^{*}/₈" x 2^{*}/₈", then cut once diagonally into
 (72) triangles
- (2) 5¼" x WOF; subcut
 (9) 5¼" x 5¼", then cut twice diagonally into
 (36) triangles

From Fabric H, cut:

- (2)2⁷/₈" x WOF; subcut
 (16) 2⁷/₈" x 2⁷/₈", then cut once diagonally into
 (32) triangles
- (1) 5¼" x WOF; subcut
 (4) 5¼" x 5¼", then cut twice diagonally into
 (16) triangles

From Fabric I, cut:

(9*) 5½" x WOF for outer border *If you plan to join border strips with diagonal seams, cut 1 additional strip.

From Fabric J, L, and P, cut from each:

(1) 4½" x 4½", fussy cut on point around the animal motifs where possible
(4) 4½" x 4½", then cut once diagonally into (8) triangles

From Fabric K, cut:

(8*) 2" x WOF for inner border
(10) 2½" x WOF for binding
*If you plan to join border strips with diagonal seams, cut 1 additional strip.

From Fabric M, fussy cut: (12) 2¹/₄" x 2¹/₄", centered on the snails

From Fabric N, cut:

(2) 2^{*}/₈" x WOF; subcut
(16) 2^{*}/₈" x 2^{*}/₈", then cut once diagonally into
(32) triangles

From Fabric O, cut:

(4) 2^{*}/₈" x WOF; subcut
(52) 2^{*}/₈" x 2^{*}/₈", then cut once diagonally into
(104) triangles
(1) 2^{*}/₂" x WOF; subcut
(16) 2^{*}/₂" x 2^{*}/₂"

From Fabric Q, cut:

(1) 5¼" x WOF; subcut
(4) 5¼" x 5¼", then cut twice diagonally into
(16) triangles
(1) 2½" x WOF; subcut
(16) 2½" x 2½"

From Fabric R, cut:


(2) 24" x WOF; subcut (2) 24" x 24", then cut twice diagonally into (8) side setting triangles (2) $12\frac{1}{4}$ " x $12\frac{1}{4}$ ", then cut once diagonally into (4) corner setting triangles (4) 5¹/₄" x WOF; subcut (22) 5¹/₄" x 5¹/₄", then cut twice diagonally into (88) triangles (8) 2⁷/₈" x WOF; subcut (104) 2⁷/₈" x 2⁷/₈", then cut once diagonally into (208) triangles (6) 21/2" x WOF; subcut (88) 2¹/₂" x 2¹/₂" (19) 2¹/₄" x WOF for sashing; subcut (2) $2\frac{1}{4}$ " x $21\frac{1}{2}$ " (8) 2¹/₄" x 19" (26) 2¹/₄" x 16¹/₂"

Instructions


All seam allowances are ¼" unless otherwise noted. Sew pieces right sides together. Press seams as directed by arrows in the diagrams.

Block Construction

 Sew a Fabric O 2⁷/₈" triangle and a Fabric R 2⁷/₈" triangle together to make an HST unit. If needed, square up to 2¹/₂" x 2¹/₂". Make a total of (32) Fabric O/R HST Units. Repeat to make 72 A/R HST units. Set aside. Fig. 1




Sew a pair of Fabric N 2⁷/₈" triangles to opposite short sides of a Fabric Q 5¹/₄" triangles as shown to make Unit A. Press. Make a total of (16) Fabric N/Q Unit A. If needed, trim to 2¹/₂" x 4¹/₂". Fig. 2



 Repeat the previous step, using Fabrics O, F, and H 2⁷/₈" and Fabric R 5¹/₄" triangles instead, to make 36 each Fabric O and F Unit A, and 16 Fabric H Unit A. Set aside. Fig. 3



4. Arrange (4) each Fabric Q 2½" squares and Fabric N/Q A Units and (1) Fabric E fussy-cut bias square in 3 rows of 3 as shown, following the white arrow for the fussy-cut motif orientation. Sew together into rows. Tip: sew with the bias square towards the feed dogs to help minimize stretching. Then sew rows together to make Unit B (8½" x 8½"). Press. Make (2) each using Fabric E and Fabric G centers. Set aside. Fig. 4



Make 2 of each combination.

_




 Repeat the previous step, using Fabric R 2½" squares and Fabric O/R A Units, and the Fabric B, C, D, J, L, and P fussy-cut squares. Make (2) each with Fabrics B, C, and D and (1) each with Fabrics J, L, and P. Set all aside. Fig. 5

Fig. 5




Unit B Make 2 each with Fabrics B, C, and D. Make 1 each with Fabrics J, L, and P.


6. Arrange (2) Fabric O HST Units with (1) each Fabric O and Fabric R 2½" x 2½" squares in 2 rows of 2. Sew together in pairs, then sew pairs together to make a total of (16) O/R Unit C. Repeat with Fabrics A and R to make (36) A/R Unit C. Set aside. Fig. 6



 Sew short side of Fabric R 2⁷/₈" triangles to each short end of a Fabric H Unit A. Then add (1) Fabric H 5¹/₄" triangle as shown to make Unit D. Make (16). Repeat with Fabric F Unit A and 5¹/₄" triangles to make (36) Unit D. Fig. 7




 Sew long side of a Fabric E 4⁷/₈" triangle to one short side of a Fabric H Unit D as shown. Repeat on adjacent side to make Unit E. If needed, trim and 8¹/₂" x 4¹/₂". Make (8) each using Fabrics E and G. Repeat with Fabrics B, C, D, J, L, and P 4⁷/₈" triangles and Fabric F Unit D to make (8) each with Fabrics B, C, D, and (4) each with Fabrics J, L, and P. Fig. 8




Copyright[©] 2024



9. To make a block, arrange (4) matching Unit E, (1) matching Unit B, and (4) Fabric O Unit C together in 3 rows of 3 units each (Note: the center square of the Unit B will match the large triangle of Unit E). Sew together into rows, then sew rows together to complete a block (16¹/₂" x 16¹/₂"). Make (2) each of **Fabrics B, C, D, E,** and **G,** and (1) each of Fabrics J, L, and P. Fig. 9










Make 13 total

Quilt Top Assembly

- 10. Make the Short and Long Sashing Rows as shown using the Fabric M 2¹/₄" x 2¹/₄" fussy-cut squares and **Fabric R** 2¹/₄" strips listed. Make (2) each. Fig. 10 on page 7.
- **11.** Paying close attention to the quilt center layout diagram (page 8) for block placement, and making sure all the fussy-cut block centers are oriented right-reading, arrange the blocks into diagonal rows with the Fabric R 21/4" x 161/2" sashing strips between each block, and on either end of the rows.
- **12.** Sew the blocks and sashing strips together into rows, pressing towards the sashing. Add Fabric R 121/4" corner and 24" side setting triangles at the ends of block rows as shown. Align the square corners of larger side setting triangles with the sashing strips, and center the smaller corner setting triangles on the sashing.
- **13.** Sew the block rows together with the long and short sashing rows, pinning to match at seam intersections and nesting seam allowances. Then add the 211/2" long sashing strips and 2 remaining corner setting triangles to complete the guilt center. The outer strips in the sashing rows will be longer than the block rows, so square up to 75³/₄" x 75³/₄" (or even with the edges of the setting triangles).
- 14. Sew together all the Fabric K 2" x WOF strips end to end. Cut (2) 78³/₄" long top/bottom borders and (2) 75³/₄" long side borders (or the size to fit your quilt center).
- **15.** Sew the shorter **Fabric K** borders to the sides of the quilt top, matching ends and centers. Press, then sew the longer Fabric K borders to the top and bottom.
- 16. Repeat steps 15 and 16 to make and attach (2) each Fabric I 5¹/₂" x 78³/₄" side and 51/2" x 883/4" top/bottom borders (or the size to fit your quilt) to complete the quilt top.





Finishing

- **17.** Sew together the 2½" **Fabric I** binding strips end-to-end. Press the seams open. Press the binding strip in half wrong sides together.
- **18.** Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the quilt top after quilting is completed.
- 19. Leaving an 8" tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to ¼" and press open. Finish sewing binding to quilt.
- **20.** Turn the binding to the back of the quilt and hand stitch in place.

Quilt Layout

