



Featuring Kaffe Fassett August 2024 & Kaffe Fassett Shot Cotton

Collection:	Kaffe Fassett August 2024 & Kaffe Fassett Shot Cotton			
Technique:	Pieced			
Skill Level:	Advanced Beginner			
Finished Sizes:	Finished Size: 80" x 96" (2.03m x 2.43m) Finished Block Size: 8" x 8" (20.32cm x 20.32cm)			

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.



Project designed by Lucy A. Fazely | Tech edited by Alison M. Schmidt

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE			
(A) August 2024 20 pc 6" DS(B) Shot Cotton(C) Shot Cotton	Hot Bloom Dawn	FB4DSGP.AUG24HOT SCGP126.BLOOM* SCGP121.DAWN	1 DS 4¾ yards (4.34m) 4 yards (3.66m)			
* includes binding	`			(A)	(B)	(C)
Backing (Purchased Separately 44" (1.12m) wide)					
Ammonites OR 108" (2.74m) wide	Pink	PWPJ128.PINK	5½ yards (5.03m)	6 6		
Millefiore	Pastel	QBGP006.PASTEL	27⁄8 yards (2.63m)			
Additional Recommendation	ons			Backing 44"	Backing 108''	

- 100% cotton thread in colors to match
- 88" x 104" (2.24m x 2.64m) batting



Cutting WOF = Width of Fabric

Fabric A, cut:

From each of (20) 6" x WOF strips, subcut (12) 3¼" x 6" pieces

Fabric B, cut:

(6) 8½" × WOF; subcut
(60) 2" × 8½"
(60) 1½" × 8½" pieces
(6) 6" × WOF; subcut
(60) 2" × 6"
(60) 1½" × 6" pieces
(10) 3¼" × WOF; subcut
(120) 3¼" squares
(10) 2½" × WOF, for binding
(10) 1½" × WOF; subcut
(240) 1½" squares

Fabric C, cut:

(6) 8½" × WOF; subcut
(60) 2" × 8½"
(60) 1½" × 8½" pieces
(6) 6" × WOF; subcut
(60) 2" × 6"
(60) 1½" × 6" pieces
(10) 3¼" × WOF; subcut
(120) 3¼" squares
(10) 1½" × WOF; subcut
(240) 1½" squares


Instructions

Use a ¼" seam allowance throughout. Sew all pieces with right sides together and raw edges even using matching thread. Press as directed after each seam.

Block Construction

 Draw a diagonal line across the wrong side of all the Fabric B and C 3¼" and 1½" squares. (Fig. 1)






- Select 12 of the same Fabric A 3¼" x 6" pieces. These are the pieces you will use in Steps 3-9.
- Arrange 2 marked Fabric B 1½" squares and 1 marked Fabric B 3¼" squares on a Fabric A 3¼" x 6" piece, with the diagonal lines oriented as shown. Stitch along the marked lines. Trim seam allowances to ¼". Press corners out. Repeat to make 3 Unit 1a. (Fig. 2)

Fig. 2

 In the same manner as step 3, make 3 Unit 1b, noting reversed bottom diagonal seam. (Fig. 3)


Fig. 3



Unit 1b Make 3

 In the same manner as step 3, replacing Fabric B squares with Fabric C squares, make 3 Unit 2a. (Fig. 4)


Fig. 4





 In the same manner as step 4, replacing Fabric B squares with Fabric C squares, make 3 Unit 2b. (Fig. 5)

Fig. 5







Unit 2b Make 3



7. Stitch 1 each Unit 1a and 1b together as shown. Make 3 Unit 3a (6" x 6" unfinished). (Fig. 6)

Fig. 6





8. In the same manner as step 7, sew together 1 each Unit 2a and 2b as shown. Make 3 Unit 3b. (Fig. 7)


Fig. 7



9. Sew a Fabric C 1¹/₂" x 6" piece to the left-hand side of a Unit 3a, and a Fabric C 2" x 6" piece to the right-hand side of unit. Add a **Fabric C** 1¹/₂" x 8¹/₂" piece to top and a **Fabric C** 2" x 8¹/₂" piece to bottom to complete a Light-

total of 3 Light-Frame Blocks. (Fig. 8)


Frame Block (81/2" square unfinished). Make a



10. In the same manner as step 4, replacing Fabric C pieces with Fabric B pieces, make a total of 3 Dark-Frame Blocks (81/2" square unfinished). (Fig. 9)

Fig. 8





Dark-Framed Block Make 3

Make 3

11. Referring to Steps 2-10, make a total of 3 Light-Frame and 3 Dark-Frame blocks from each of the remaining (19) 6" roll fabrics for a total of 60 each Light-Frame and Dark-Frame blocks.

Quilt Top Assembly

- 12. Noting the Quilt Layout diagram (page 5), arrange 10 blocks each into 12 horizontal rows, alternating the Light-Frame and Dark-Frame blocks.
- 13. Sew the blocks into rows, backstitching at the top of the top row and the bottom of the bottom row. Press the seam allowances in each row towards Fabric B.
- 14. Sew rows together, nesting seam. Backstitch at both ends of seams.

Finishing

- 15. Sew together the 21/2" Fabric B binding strips end-to-end using diagonal seams. Press seams open. Press the binding strip in half wrong sides together.
- 16. Layer backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and guilt as desired. Trim excess batting and backing even with the top after quilting is completed.
- 17. Leaving an 8" tail of binding, sew the binding to the top of the quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along guilt edge. Where the loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding right sides together. Trim seam to 1/4" and press open. Finish sewing binding to guilt.
- 18. Turn the binding to the back of guilt and hand-stitch in place.



Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.