

KAFFE FASSETT for Free Spirel

85 & Fabulous Hat Box Quilt

Featuring 85 & Fabulous and Classic Spot by Kaffe Fassett

Collection:	85 & Fabulous and Classic Spot by Kaffe Fassett	
Technique:	Machine Piecing, raw edge applique, decorative stitching	
Skill Level:	Intermediate	
Finished Sizes:	Finished Size of Project: 51 ¹ /2" (1.31m) Square Finished Size of Block: 12 ¹ /2" (31.75cm) Square	

All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.



Project designed by Liza Prior Lucy

Fabric Requirements

DESIGN		COLOR
(A)	Zinnia	Aqua
(B)	Zinnia	Blue
(C)	Zinnia	Contra
(D)	Spools	Blue
(E)	Spools	Contra
(F)	Spools	Magen
(G)	Beach Balls	Blue
(H)	Beach Balls	Maroo
(I)	Beach Balls	Neutra
(J)	Targets	Black
(K)	Chevron Stripe	Blue
(L)	Chevron Stripe	Ochre
(M)	Chevron Stripe	Pink
(N)	Chevron Stripe	Red
(O)	Chevron Stripe	Yellow
(P)	Persian Vase	Duck E
(Q)	Persian Vase	Grey
(R)	Persian Vase	Red
(S)	Sprays	Contra
(T)	Large Oriental Trees	Blue

* includes binding

COLOR	
Aqua	PWGP031.AQUA
Blue	PWGP031.BLUE
Contrast	PWGP031.CONTRAST
Blue	PWGP034.BLUE
Contrast	PWGP034.CONTRAST
Magenta	PWGP034.MAGENTA
Blue	PWGP037.BLUE
Maroon	PWGP037.MAROON
Neutral	PWGP037.NEUTRAL
Black	PWGP067.BLACK
Blue	PWGP090.BLUE*
Ochre	PWGP090.OCHRE
Pink	PWGP090.PINK
Red	PWGP090.RED
Yellow	PWGP090.YELLOW
Duck Egg	PWGP100.DUCKEGG
Grey	PWGP100.GREY
Red	PWGP100.RED
Contrast	PWGP107.CONTRAST

PWGP198.BLUE

ITEM ID

YARDAGE

FQ (45.72cm x 53.34cm) ³/₄ yard (0.69m) FQ (45.72cm x 53.34cm) FQ (45.72cm x 53.34cm)

continued on next page...





Fabric Requirements (continued...)

(U)	Large Oriental Trees	Green
(V)	Large Oriental Trees	Maroon
(W)	Large Oriental Trees	Stone
(X)	Spot	Charcoal
(Y)	Spot	Noir
(Z)	Targets	Green

PWGP198.MAROON PWGP198.STONE GP70.CHARC PWGP070.NOIRX PWGP067.GREEN Green

PWGP198.GREEN

PWGP034.CONTRAST

1 yard (0.91m)

¹/₈ yard (0.11m)

1 yard (0.91m)

4 yards (3.66m)

Backing (Purchased Separately)

44" (1.12m) wide


Spools

Additional Recommendations

- 5 yards of 15" wide tear-away stabilizer .
- Use the following types of thread: ۰
 - 50 weight cotton thread for piecing
 - 40 or 50 weight cotton or polyester thread for decorative stitches and for blanket stitch applique
- Mechanical Pencil or Marking Pencil .
- 62" (1.57m) Square batting ۲
- Scissors .
- **Rotary Cutter**
- Acrylic Quilters Ruler 81/2" x 14" (at least), with 45 degree markings

Contrast

- Seam Ripper
- Stiletto
- Cutting Mat 12" x 18" (at least)
- Pins
- **Template** Plastic







WOF = Width of Fabric

Note: Fabrics shown in Diagrams are different than fabrics used in this quilt. Please refer to the quilt image on the cover of the pattern for fabric placement.

1. Using semitransparent plastic, make templates for the Hat Box top, bottom and band, also referred to as rim. Note: These templates will be used many times. Mark each template as top bottom and band/rim, make clear which side is the right side to trace from; the templates are not symmetrical. (Diagram 1)




Diagram 1

- **2.** Referring to quilt image on the pattern cover, select fabrics to be used as Background Pieces for each block (Diagram 2);
 - a. Cut (1) square back wall piece 81/2" x 81/2"
 - b. Cut (1) rectangular sidewall piece 41/2" x 127/8"
 - c. Cut (1) rectangle floor piece 41/2" x 127/8"





3. Using the 45-degree mark on your quilter's ruler, cut off the ends of the sidewall and floor as shown in **Diagrams 3 & 4**.





Diagram 3







- 4. Sew the background pieces together using 1/4" set-in seams.
- Sew the side wall to the floor, starting at the outside bottom corner sewing to the inside corner stopping 1/4" from the end. Press the seam open. (Diagram 5)







6. Align the back wall square with the side wall rectangle. Sew from the top and stop ¼" from the end. Put the needle down in this position. (Diagram 6) Raise the presser foot and swivel the pieces so that the bottom of the square aligns with the floor rectangle. (Diagram 7) Lower presser foot and sew to the end. (Diagram 8)










Diagram 8



 Using your Hat box templates, draw with a marking pencil a Hat Box top and bottom from the same fabric. Using sharp scissors cut out both pieces. (Diagram 9)

Diagram 9



8. Lightly draw the Hat Box band/rim - apply universally throughout pattern shape onto your band/rim fabric. Do **NOT** cut it out. Place stabilizer behind the band/rim shape and do a decorative stitch down the center of the band/rim. (Diagram 10) Cut out Hat Box band/rim piece and carefully remove the stabilizer so not to stretch the band/rim out of shape.

Diagram 10



Copyright[©] 2022



9. Cut a piece of stabilizer and place all the background pieces onto it. Measure up from the bottom 2¼" and measure in from the sidewall 2½" at this intersection, put a pencil dot. Place the Hat Box bottom piece on this dot and align the edge of the right side of the Hat Box bottom with the right edge of the background. Pin in place through the fabric and stabilizer. (Diagram 11)

Diagram 11

10. Measure down 2¼" from the top of the background and place the Hat Box top so the top edge is on the 2¼" and the right edge of the Hat Box aligns with the edge of the background. Pin through the fabric and stabilizer. (Diagram 12)







 Using the blanket stitch, stitch along the outside edges of the top and bottom pieces of the Hat Box. There will be a gap between the pieces. Do NOT stitch in that space. (Diagram 13)

Diagram 13



12. Place the embroidered band/rim over the gap space and be sure to leave a bit of a lip on the left side so that the band/rim goes about a ¼" beyond the edge of the Hat Box bottom and overlaps some of the stitched area of the Hat Box top. Pin in place. (Diagram 14)





13. Blanket stitch around the band/rim. (Diagram 15)


Diagram 15






- **14.** Remove the stabilizer and cut away the background from behind the Hat box applique leaving about a ¹/₄" seam allowance.
- **15.** Repeat for a total of 9 blocks.
- Cut (8) Fabric X 2½" WOF strips; sub-cut into (24) 2½" x12" strips for sashing.
- 17. Cut (1) Fabric Y 2½" WOF strip; sub-cut into (16) 2½" x 2½" squares for cornerstones.
- **18.** Reference the Quilt Image on the front cover of this pattern for block placement and layout. Sew together the cornerstones and sashing strips, sew to hat box blocks. Sew together blocks, cornerstones, and sashing strips.
- 19. Cut (5) Fabric Z 5½" x WOF border strips. Measure the length of each side of the quilt top. Cut two of the Fabric Z border strips to this measurement. Sew border strips to either side of the quilt top.
- **20.** Sew the remaining (3) 5½" x WOF **Fabric Z** strips together, end to end, making one long strip. Measure the width of the quilt top and cut the strip to match that measurement for the top and bottom borders. Sew one top/ bottom border to the upper edge, and the other to the lower edge of the quilt top to complete the quilt top. Press.
- 21. Cut (6) 2¹/₂" x WOF Fabric K strips for the binding. Sew together the 2¹/₂" Fabric K binding strips end-to-end using diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.


- **22.** Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim the excess batting and backing even with the quilt top after quilting is completed.
- 23. Leaving an 8" tail of binding, sew the binding to the quilt top through all layers, matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to ¼" and press open. Finish sewing binding to quilt.
- **24.** Turn the binding to the back of the quilt and hand stitch in place.







*** Measure templates before cutting to confirm printing at 100%***



*** Measure templates before cutting to confirm printing at 100%***