



#### Featuring New Traditional by Lillian August

Technique: Pieced

Skill Level: Advanced Beginner

**Finished Size of Project:** 53<sup>1</sup>/<sub>4</sub>" x 64<sup>1</sup>/<sub>2</sub>" (1.35m x 1.64m)

**Finished Block Size:** 4" x 4" (10.16cm x 10.16cm)

Project designed by: Lucy A. Fazely

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting, it is recommended a sample is made to confirm accuracy.

#### FABRIC REQUIREMENTS (Tech edited by: Julie Kentner)

	Design	Color
Α	Francine	Periwinkle
В	Willow	Sage
С	Arabella	Cobalt
D	SM Celeste	White
Е	Celeste	Rose
F	Camille	Sage
G	Nadine	Cobalt
Н	Constance	Juniper
L	Violetta	Lavender
J	Genieve	Cobalt
Κ	Brooke	Cobalt
L	Brooke	Lavender
Μ	Brittany	Juniper
Ν	Brittany	Periwinkle
0	Kendra	Sage
Ρ	Sofia	Rose

Item ID PWLA001.PERIWINKLE PWI A002.SAGE PWLA003.COBALT PWI A004.WHITE PWI A005, ROSE PWI A006, SAGE PWLA007.COBALT PWLA008.JUNIPER\* PWLA009.LAVENDER PWLA010.COBALT PWLA011.COBALT PWI A011.1 AVENDER PWLA012.JUNIPER PWLA012.PERIWINKLE PWLA013.SAGE PWLA014.ROSE

Yardage 1 yard (0.91m) 1/4 yard (0.23m) <sup>1</sup>/<sub>4</sub> yard (0.23m) 3% yard (0.34m) 1/4 yard (0.23m) 3/8 yard (0.34m) <sup>1</sup>/<sub>2</sub> yard (0.46m) 1<sup>1</sup>/<sub>8</sub> yards (1.03m) 1/4 yard (0.23m) 1/4 yard (0.23m) 3% yard (0.34m) 3% yard (0.34m) <sup>1</sup>/<sub>4</sub> yard (0.23m) <sup>1</sup>/<sub>4</sub> yard (0.23m) <sup>1</sup>/<sub>4</sub> yard (0.23m) 3/8 yard (0.34m)

#### **Swatches**



#### \* includes binding

#### **Backing** (Purchased Separately)

44" (1.12m) wide			
SM Celeste	White	PWLA004.WHITE	4 yards (3.66m)
OR			
108" (2.74m) wide			17⁄8 yards (1.71m)

**ADDITIONAL REQUIREMENTS** 

- 100% cotton thread in colors to match
- 61" x 73" (1.55m x 1.85m) quilt batting

Copyright<sup>©</sup> 2025

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

#### CUTTING

WOF = Width of Fabric

#### Label cut pieces with fabric letter for easier assembly

Fabric	Α,	cut:
--------	----	------

(2) 41/2" x WOF; sub-cut

(18) 4½" squares

(3) 3½" x WOF; sewn together end to end and sub-cut into
(2) 3½" x 59" and
(2) 3½" x 53¾" (borders)

Fabric B, cut:

(1) 4½" x WOF; sub-cut

(4) 41/2" squares

#### Fabric C, cut:

(1) 4½" × WOF; sub-cut

(8) 4½" squares

(2) 4½" x WOF; sub-cut
(16) 4½" squares
Fabric E, cut:
(1) 4½" x WOF; sub-cut

(8) 4½" squares

### Fabric F, cut:

Fabric D, cut:

(2) 4½" × WOF; sub-cut (16) 4½" squares

#### Fabric G, cut:

(3) 4½" x WOF; sub-cut (24) 4½" squares

#### Fabric H, cut:

(1) 4½" x WOF; sub-cut
(5) 4½" squares
(7) 2½" x WOF (binding)
(6) 1½" x WOF; sewn together end to end and sub-cut into
(2) 1½" x 57" and

(2) 1½" x 47¾" (borders)

### **Fabric I, cut:** (1) 4½" x WOF; sub-cut (8) 4½" squares

**Fabric J, cut:** (1) 4½" x WOF; sub-cut (8) 4½" squares

**Fabric K, cut:** (2) 4½" × WOF; sub-cut (16) 4½" squares

#### Fabric L, cut:

(2) 4½" × WOF; sub-cut (12) 4½" squares

### **Fabric M, cut:** (1) 4<sup>1</sup>/<sub>2</sub>" x WOF; sub-cut (8) 4<sup>1</sup>/<sub>2</sub>" squares

### **Fabric N, cut:** (1) 4<sup>1</sup>/<sub>2</sub>" x WOF; sub-cut

(8) 41/2" squares

### **Fabric O, cut:** (1) 4<sup>1</sup>/<sub>2</sub>" x WOF; sub-cut (8) 4<sup>1</sup>/<sub>2</sub>" squares

**Fabric P, cut:** (2) 41⁄2" x WOF; sub-cut (12) 41⁄2" squares

Copyright<sup>©</sup> 2025

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

SEWING INSTRUCTIONS

Notes:

- Use a ¼" seam allowance throughout.
- Sew all pieces with right sides together (RST) and raw edges even using neutral or coordinating thread.

#### **Block Assembly:**

Arrange all 4½" squares into (19) diagonal rows as shown. Note orientation of stripes. Stitch squares into diagonal rows. Sew rows together, pressing odd rows in one direction and even rows in the opposite direction. (Fig. 1)



Fig. 1

Trim quilt center to approximately 45¾" x 57". Baste edges of quilt center to keep bias cut edges from stretching.
 (Fig. 2)



#### Fig. 2

#### **QUILT TOP ASSEMBLY**

- Add borders, noting Quilt Layout (Page 6). Sew 1½" x 57"
   Fabric H borders to the left and right sides of quilt. Add 1½" x 47¾" Fabric H borders to the top and bottom of quilt. Press towards borders.
- 4 Sew the 3½" x 59" Fabric A borders to the left and right sides of quilt. Add 3½" x 53¾" Fabric A borders to the top and bottom of quilt. Press towards borders.


#### FINISHING

- 5 Sew together (7) 2½" x WOF **Fabric H** binding strips endto-end using diagonal seams. Press seams open. Press the binding strip in half, wrong sides together, and set aside until quilt is ready for binding.
- 6 Once the top is complete it is ready for quilting! Quilts can be sent out for longarm quilting or you can quilt it yourself. If you are sending the quilt out, it is important to discuss backing and batting requirements with the quilter to ensure they have everything needed to properly finish the quilt.
- 7 If quilting yourself and using 44" fabric for backing, choose your favorite method for piecing (taking time to remove selvedges), then layer, baste and quilt. Once finished, trim excess batting and backing and bind according to your favorite method.

Copyright<sup>©</sup> 2025

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

- 8 To complete binding by hand, it must first be machine sewn to the quilt top. Leaving an 8" tail of binding, sew binding to top of quilt through all layers, matching raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where the two loose ends meet, fold each side back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to ¼" and press seam open. The binding will naturally fold, wrong sides together, and lay along the quit edge. Finish sewing binding to quilt. Turn and press the binding to the back of the quilt and hand stitch in place.
- **9** If machine binding, complete the steps above only attach the binding to the BACK of the quilt, turn and press to the front of the quilt and machine stitch in place.



Copyright<sup>©</sup> 2025