



Featuring Shot Cottons and Shot Cotton Stripes by Kaffe Fassett

Collection:	Shot Cottons and Shot Cotton Stripes by Kaffe Fassett
Technique:	Templates, Fussy Cutting, Piecing, Quilting
Skill Level:	Intermediate
Finished Size:	82" x 83" (208.28cm x 210.82cm)

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



Project designed by Liza Prior Lucy and Kaffe Fassett | Tech edited by Alison M. Schmidt

Fabric Requirements

DESIGN	COLOR	ARTICLE CODE	YARDAGE					
(A) Shot Cotton Stripes - Narrow								
	Plaster	SSGP002.PLASTER	21/8 yards (1.94m)					
(B) Shot Cotton Stripes - Wide								
	Aloe	SSGP001.ALOE	1½ yards (1.49m)					
(C) Shot Cotton St	ripes - Narrow							
	Gooseberry	SSGP002.GOOSEBERRY	1½ yards (1.03m)		(D)	<i>(C)</i>	(D)	(E)
(D) Shot Cotton St	-			(A)	(B)	(C)	(D)	(E)
	Cantaloupe	SSGP001.CANTALOUPE	1½ yards (1.03m)					
(E) Shot Cotton St	•		.4.					
	Embers	SSGP001.EMBERS	1½ yards (1.03m)					
(F) Shot Cotton St	•	CCCDOOA TUDNATRIC	41/ 1 /4 00 \					
(C) Cl . C	Turmeric	SSGP001.TURMERIC	1½ yards (1.03m)					
(G) Shot Cotton St	•	CCC DOOS MALLADD	41/ 1 /4 00 \	(F)	(G)	(H)	(I)	(J)
/II\ Ch -+ C -++ C+-	Mallard	SSGP002.MALLARD	1½ yards (1.03m)	NEWS HARD STATE OF THE STATE OF			NAME OF TAXABLE PARTY.	
(H) Shot Cotton St	Chestnut	SSGP001.CHESTNUT	11/2 yarda (1 02m)			PARTY NAMED IN	STEEL BELL	C. C. Spanis
(I) Shot Cotton St		33GF001.CHE31N01	1½ yards (1.03m)				建工程的	
(i) Shot Cotton Sti	Sulfur	SSGP002.SULFUR	² /₃ yard (0.61m)					
(J) Shot Cottons	Sunflower	SCGP112.SUNFLOWER	¹ / ₄ yard (0.23m)				"是我,我是我	
(K) Shot Cottons	Paprika	SCGP101.PAPRIKA	³ / ₈ yard (0.34m)	(K)	(L)	(M)	(N)	(O)
(L) Shot Cottons	Camelia	SCGP109.CAMELIA	³ / ₈ yard (0.34m)					
(M) Shot Cottons	Blood Orange	SCGP110.BLOODORANGE	¹ / ₄ yard (0.23m)		Farter Live		1	
(N) Shot Cottons	Harissa	SCGP115.HARISSA*	1 yard (0.91m)		Mark Street		性主要一	A THE CO
(O) Shot Cottons	Wine	SCGP103.WINE	½ yard (0.23m)					7 - H - 1
(P) Shot Cottons	Pistachio	SCGP111.PISTACHIO	³ / ₈ yard (0.34m)		The second		夜夢 (今日	
(Q) Shot Cottons	Khaki	SCGP107.KHAKI	³ / ₈ yard (0.34m)	(P)	(Q)	(R)	Paglsing:	Packing
(R) Shot Cottons	Opal	SCGP114.OPAL	½ yard (0.23m)	(F)	(4)	(K)	Backing 44"	Backing 108"
* includes binding							(111.76cm)	(274.32cm)

^{*} includes binding

Backing (Purchased Separately)

44" (111.76cm)) wide		
Cloisonne	Orange	PWGP046.ORANGE	5 yards (4.57m)
OR			-
108" (274.32cr	n) wide		
Millefiore	Jade	OBGP006.JADE	25% yards (2,40m)

Additional Requirements

- 100% cotton thread in a color to match
- 90" x 91" (229.60cm x 231.14cm) batting
- Clearview Triangle Ruler (optional)



Cutting

WOF = Width of Fabric LOF = Length of Fabric

The angled pieces of this quilt are cut using templates. Trace the Diamond, Parallelogram and Triangle templates onto template plastic, including the alignment lines and seam allowances, and cut on the outside lines.

Optional Clearview Triangle Ruler: Refer to ruler instructions or https://www.youtube.com/watch?v=naSU8tZ7Uqg for how to cut the angled pieces.

To cut Diamond, Parallelogram, and Triangle fabric pieces, first cut strips of fabric as specified below, then place the templates, right side up, on the right side of a single layer of fabric. Cut around the template.

To cut Reverse Diamond, Parallelogram, and Triangle fabric pieces, first cut strips of fabric as specified below, then place the templates, wrong side up, on the right side of a single layer of fabric. Cut around the template.

Cutting Stripes

The yardage given is for striped fabric where the stripes run parallel with the selvages. Press and starch fabrics, straightening the stripes as much as possible.

Each horizontal striped zigzag across the quilt consists of one striped fabric. Use the quilt image and cutting diagrams as a guide, making sure to place the marked 'Top' edge of the Diamond/ Reversed Diamond template consistently at the same point in the strip to create a constant zigzag across the quilt. However please note when sewing, the stripes may not match perfectly, giving the quilt a beautiful human touch. For an offset zigzag, cut the LOF strips for the Reverse Diamonds with the opposite color stripe at the top edge to that of the Diamonds, or to create a unique quilt, cut the LOF strips one after another not worrying about where the stripe falls on the top edge of the Diamonds.

Fabric A, cut:

(6) 3½" x LOF; sub-cut

(48) Diamonds and

(48) Reverse Diamonds

(8) $4'' \times 5^{1/2}''$ rectangles

Fabric A Cutting Diagram on page 5

Fabric B, cut:

(6) 3½" x LOF sub-cut

(36) Diamonds and

(36) Reverse Diamonds

(6) 4" x $5\frac{1}{2}$ " rectangles

Fabric B Cutting Diagram on page 5

Fabrics C through H, fussy cut from each:

(6) 3½" x LOF; sub-cut

(24) Diamonds and

(24) Reverse Diamonds

(4) $4" \times 5\frac{1}{2}"$ rectangles

Wide Stripe Cutting Diagram, Narrow Stripe Cutting Diagram on page 6

Fabric I, cut:

(6) $3\frac{1}{2}$ " x LOF; sub-cut

(12) Diamonds and

(12) Reverse Diamonds

(2) $4" \times 5\frac{1}{2}"$ rectangles

Fabric I Cutting Diagram on page 6

Fabric J and R, cut from each:

(3) $1\frac{1}{2}$ " x WOF; sub-cut

(24) Reverse Parallelograms

(1) 1⁵/₈" x WOF; sub-cut

(2) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Reverse Parallelogram Cutting Diagram

Fabric K, cut:

(6) $1\frac{1}{2}$ " x WOF; sub-cut (36) Parallelograms and (12) Reverse Parallelograms

(12) Reverse Parallelograms

(1) $1\frac{5}{8}$ " x WOF; sub-cut (4) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Parallelogram Cutting Diagram





Fabric L, cut:

- (6) $1\frac{1}{2}$ " x WOF; sub-cut
 - (12) Parallelograms and
 - (36) Reverse Parallelograms
- (1) 15/8" x WOF; sub-cut
 - (4) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Fabric M, cut:

- (2) $1\frac{1}{2}$ " x WOF; sub-cut
 - (12) Parallelograms
- (1) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangle

Fabric N, cut:

- (3) $1\frac{1}{2}$ " x WOF; sub-cut
 - (12) Parallelograms and
 - (12) Reverse Parallelograms
- (1) 1%" x WOF; sub-cut
 - (2) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles
- (10) $2\frac{1}{2}$ " x WOF for binding

Fabric O, cut:

- (3) $1\frac{1}{2}$ " x WOF; sub-cut
 - (24) Parallelograms
- (1) 1\%" x WOF; sub-cut
 - (2) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Fabric P, cut:

- (3) $1\frac{1}{2}$ " x WOF; sub-cut
 - (12) Parallelograms and
 - (12) Reverse Parallelograms
- (2) 2½" x WOF; sub-cut
 - (24) Reverse Triangles
- (1) $2\frac{1}{4}$ " x WOF; sub-cut
- (1) $2^{1}/_{4}$ " x $5^{1}/_{2}$ " rectangle
- (2) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Reverse Triangle Cutting Diagram



Fabric Q, cut:


- (2) 1½" x WOF; sub-cut
 - (12) Parallelograms
- (2) $2^{1/2}$ " x WOF; sub-cut
 - (24) Triangles
- (1) $2^{1}/4$ " x WOF; sub-cut
- (1) $2\frac{1}{4}$ " x $5\frac{1}{2}$ " rectangle
- (2) $1\frac{5}{8}$ " x $5\frac{1}{2}$ " rectangles

Triangle Cutting Diagram






Fabric A Cutting Diagram




Fabric B Cutting Diagram







Wide Stripe Cutting Diagram



Narrow Stripe Cutting Diagram



Fabric I Cutting Diagram





Instructions

Note: Follow the **Quilt Layout** diagram on page 8 while assembling the quilt.

All seam allowances are $\frac{1}{4}$ " and pieces are sewn right sides together.

Column 1

Press seam allowances towards the bottom of the column.

- 1. Sew a 4" x 5½" **Fabric C** rectangle to the bottom of a **Fabric B** rectangle along one 5½" edge. If you planned your cuts so that the same-color stripes will align across the quilt top, make sure to orient the rectangles the same as the top of the fussy-cut Diamonds.
- 2. Sew a $1\frac{5}{8}$ " x $5\frac{1}{2}$ " **Fabric J** rectangle to the **Fabric C** rectangle.
- **3.** Continue to add pieces in the order shown in the **Quilt Layout** diagram to complete Column 1 ($5\frac{1}{2}$ " x $83\frac{1}{2}$ ").

Column 2

Press seam allowances towards the top of the column.


4. Using the same process as Column 1, sew the pieces together in the order shown in the **Quilt Layout** diagram to complete Column 2 $(5\frac{1}{2}$ " x $83\frac{1}{2}$ ").

Column 3

Press seam allowances towards the top of the column.

Tip: When sewing the Diamonds and Parallelograms (regular or reverse) together, offset the pieces to ensure there is a V-shaped trough at the ½" seam at the beginning and end of the pieces. When sewing the Diamonds and Triangles (regular or reverse) together, the offset will only be at one end. (**Fig. 1**).

Fig. 1



- **5.** Sew a **Fabric Q** Triangle to the top of a **Fabric B** Diamond, noting orientation.
- Sew a Fabric C Diamond to the bottom of the Fabric B Diamond, followed by a Fabric K Parallelogram.
- 7. Continue to add Diamonds and Parallelograms in the order shown in the **Quilt Layout** and finally a **Fabric Q** Triangle to complete (1) Column 3 (3½" x 83½").
- **8.** Repeat Steps 5 through 7 to make a total of (12) of Column 3.

Column 4

Press seam allowances towards the bottom of the column.

- Sew a Fabric P Reverse Triangle to the top of a Fabric B Reverse Diamond, noting orientation.
- **10.** Sew a **Fabric C** Reverse Diamond to the bottom of the **Fabric B** Reverse Diamond, followed by a **Fabric J** Reverse Parallelogram.
- 11. Continue to add Reverse Diamonds and Reverse Parallelograms in the order shown in the **Quilt Layout** and finally a **Fabric P** Reverse Triangle to complete (1) Column 4 (3½" x 83½").
- **12.** Repeat Steps 9 through 11 to make a total of (12) of Column 4.

Quilt Top Assembly

Press seam allowances open.


- 13. Sew (1) Column 3 and 4 together along the length, matching the seams in the center to form a "V" to make (1) Column 3/4 pair (6½" x 83½"). Repeat to make (12) Column 3/4 pairs.
- **14.** Sew the Column 3/4 pairs together to complete the Quilt Center (72½" x 83½").
- **15.** Sew Column 1 to the left edge and Column 2 the right edge of the Quilt Center to complete the Quilt Top (82½" x 83½").




Finishing

- **16.** Sew together the 2½" **Fabric N** binding strips end-to-end using diagonal seams. Press seams open. Press the binding strip in half wrong sides together.
- **17.** Layer backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top after quilting is completed.
- 18. Leaving an 8" tail of binding, sew the binding to the top of the quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" (30.48cm) from where you started. Lay both loose ends of binding flat along quilt edge. Where the loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding right sides together. Trim seam to ½" and press open. Finish sewing binding to quilt.
- **19.** Turn the binding to the back of quilt and hand-stitch in place.

Quilt Layout







*** Measure templates before cutting to confirm printing at 100%***

This square should measure 1" x 1" (2.54cm x 2.54cm) when printed.